

GHP Series - Hot Plates

GHP-2



Temperature Range	BTUs (Natural Gas)	Dimensions - LxWxD mm / in
200°F - 400°F	50,000	380 / 15" 305 / 12" 745 / 29 ½"

- Round cast iron burner, each 25,000 BTU/hr * 12"x12"(30x30cm) cast iron grate for easy removal
- Standby pilot for easy start
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Crumb tray at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- ¾" NPT rear gas connection

GHP Series - Hot Plates

GHP-4



Temperature Range	BTUs (Natural Gas)	Dimensions - LxWxD mm / in
200°F - 400°F	100,000	380 / 15" 610 / 24" 745 / 29 ½"

- Round cast iron burner, each 25,000 BTU/hr * 12"x12"(30x30cm) cast iron grate for easy removal
- Standby pilot for easy start
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Crumb tray at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- ¾" NPT rear gas connection

GHP Series - Hot Plates

GHP-6



Temperature Range	BTUs (Natural Gas)	Dimensions - LxWxD mm / in
200°F - 400°F	150,000	380 / 15" 915 / 36" 745 / 29 ½"

- Round cast iron burner, each 25,000 BTU/hr * 12"x12"(30x30cm) cast iron grate for easy removal
- Standby pilot for easy start
- Stainless steel adjustable heavy duty legs
- Zinc alloy knob with chrome coating
- Crumb tray at the bottom
- Easy conversion from natural gas to Propane or vice versa
- Stainless steel in the front and sides
- ¾" NPT rear gas connection